



## KRATKI ARKE 95 FS

The Kratki Arke range has earned a reputation as the best-value insert fireplaces in South Africa over the past decade. With thousands of satisfied clients in SA, it's admired for its robust construction, refined design, and outstanding performance.

The Arke FS (Freestanding) model comes with an additional steel cover surround for a clean, polished look, allowing the ARKE to sit exposed on a ledge.

Kratki's wood burning fireplaces combine sleek, contemporary design with advanced combustion technology to deliver exceptional heating performance. Engineered for efficiency and ease of installation, these Arke FS freestanding fireplaces offer a refined, modern aesthetic.


Designed to endure Poland's harsh winters, each Kratki Arke 95 FS fireplace is constructed from thick, high-quality steel - evident in the solid weight and robust build of every unit.

The closed combustion fireplace comes standard with convection box and finishing frame.

---

**Categories:** [All fireplaces](#), [Freestanding wood fireplaces](#), [Wood fireplaces](#)

**Tags:** [Arke range](#), [Closed-combustion](#), [Heat intensifying ceramics](#), [Installed on ledge](#), [Modern](#)



## ADDITIONAL INFORMATION

|                        |                                  |
|------------------------|----------------------------------|
| Weight                 | 178 kg                           |
| Dimensions             | 102 × 48.2 × 62.4 cm             |
| CO emissions           | 0.10%                            |
| Colour                 | Black                            |
| Country of manufacture | Poland                           |
| Efficiency             | 83%                              |
| Flue pipe diameter     | 200mm                            |
| Fuel                   | Wood                             |
| Heat output            | 16.5 kW                          |
| Heating capacity       | 190 – 415m <sup>3</sup>          |
| Material               | Steel                            |
| Warranty               | 10-year warranty                 |
| Ash pan                | Yes                              |
| Combustion technology  | Primary and secondary combustion |
| Door                   | Standard door                    |
| Fan system             | No                               |
| Flue exit              | Top                              |

## PRODUCT DESCRIPTION

The **FS** version allows the Arke to sit freestanding and exposed on a ledge. The additional cover that the FS version includes provides a neat "boxed" design.

Inside the fireplace chamber, **Kratki's signature ceramic lining** enhances both combustion efficiency and long-term durability. These heat-intensifying ceramics deliver exceptional thermal performance, supporting primary and secondary combustion for a cleaner burn and maximum heat output. By maintaining consistently high temperatures within the combustion chamber, the ceramics make the fireplace easier to operate, improve heat delivery, and significantly reduce soot buildup in the flue system. Lining the chamber with ceramics provides the

highest level of protection to the steel structure, extending the lifespan of the fireplace.

The **body of the fireplace** insert is built from high-quality, thick steel, ensuring exceptional resistance to high temperatures. Each unit is precision-welded in a shielded noble gas environment for superior structural integrity and airtight performance. Using advanced laser-cutting and CNC bending technology, every steel component is crafted with accuracy and consistency to guarantee a perfect fit and long-lasting durability.

A large, black-edged glass door frames the flames beautifully, while **Kratki's superior heat-resistant glass** and air-wash system help keep the viewing window clear. For improved safety and performance, as well as to increase their lifespan, the heat-resistant glass that Kratki uses is of the highest quality.

**Kratki's signature fireplace grate design** is engineered using thick cast iron, featuring re-enforced ribbing and multiple bends to maximise strength, durability, and long-term performance.

A robust steel **slide-out ash box** ensures easy cleaning and everyday convenience.

The **comfortable handle** features a solid, ergonomic design with a modern aesthetic. Its perforated construction not only enhances the contemporary look but also helps to dissipate heat.

**Dual air controls** allow precise regulation of both primary and secondary airflow. The secondary air control draws pre-heated air from the fireplace's convection chamber and directs it into the combustion chamber, further increasing internal temperatures for improved efficiency and a cleaner burn.

Built to deliver lasting warmth and reliability, all Kratki wood-burning fireplaces are backed by a **10-year warranty**, reflecting Kratki's commitment to quality, performance, and longevity.

## NOTES

---

---

---

---

---

---

---